

[Search Forms](#)[Search Results](#)[Help](#)[User Searches](#)[Preferences](#)[Logout](#)

Refine Search

Search Results -

Term	Documents
SOURCE	1063288
SOURCES	359257
CODE	241573
CODES	108316
CLIENT	24389
CLIENTS	12420
DETECT\$	0
DETECT	335968
DETECTA	6
DETECTAB	1
DETECTABALE	6
(L4 AND (DETECT\$ WITH ((SOURCE ADJ CODE) OR (CLIENT ADJ STUB\$1) OR ((SOURCE OR CODE) NEAR3 CLIENT\$1)) SAME PROCEDURE\$1)).USPT.	0

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L6

[Refine Search](#)[Recall Text](#)[Clear](#)[Interrupt](#)

Search History

DATE: Sunday, February 22, 2004 [Printable Copy](#) [Create Case](#)

Set
Name Query
 side by
 side

Hit
Count Set
 Name
 result set

DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ

L4 and (detect\$ with ((source adj code) or (client adj stub\$1) or ((source or code) near3

<u>L6</u>	client\$1)) same procedure\$1)	0	<u>L6</u>
<u>L5</u>	L4 and (detect\$ with ((source adj code) or (client adj stub\$1) or ((source or code) near3 client\$1)) same RPC\$1)	0	<u>L5</u>
<u>L4</u>	L1 and ((analy\$ or pars\$ or examin\$ or check\$ or evaluat\$) with ((source adj code) or (client adj stub\$1) or ((source or code) near3 client\$1)))	32	<u>L4</u>
<u>L3</u>	l1 and (detect\$ with ((source adj code) or (client adj stub\$1) or ((source or code) near3 client\$1)))	3	<u>L3</u>
<u>L2</u>	L1 and ((analy\$ pr pars\$ or examin\$ or check\$ or evaluat\$) with ((source adj code) or (client adj stub\$1) or ((source or code) near3 client\$1)))	16	<u>L2</u>
<u>L1</u>	((Remote adj procedure adj call\$1) or RPC\$1) and ((interface adj definition adj language\$1) or IDL\$1)	673	<u>L1</u>

END OF SEARCH HISTORY

Search Forms
Search Results
Help

Freeform Search

User Searches
Preferences
Logout

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:

l11 and (RPC near3 optimi\$)

Display: Documents in Display Format: Starting with Number

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Sunday, February 22, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=ADJ</i>		
<u>L13</u>	l11 and (RPC near3 optimi\$)	5	<u>L13</u>
<u>L12</u>	L11 and (detect\$ near5 (remote adj3 (procedule\$1 or call\$1)) same client\$1)	1	<u>L12</u>
<u>L11</u>	L3 same (IDL or (interface adj definition adj language\$1))	65	<u>L11</u>
<u>L10</u>	L9 and (IDL or (interface adj definition adj language\$1))	2	<u>L10</u>
<u>L9</u>	L3 and (detect\$ near5 (remote adj3 (procedule\$1 or call\$1)))	12	<u>L9</u>
<u>L8</u>	l4 and ((analy\$ or check\$ or examin\$ or monitor\$ or evaluat\$) near3 (clent\$1))	0	<u>L8</u>
<u>L7</u>	l4 and ((analy\$ or check\$ or examin\$ or monitor\$ or evaluat\$) near3 (source adj code))	0	<u>L7</u>
<u>L6</u>	l4 and (analy\$ near3 (source adj code))	0	<u>L6</u>
<u>L5</u>	L4 and ((analy\$ or examin\$ or check\$) with client\$ with (remote adj3 (call\$1 or procedure\$1)))	6	<u>L5</u>
<u>L4</u>	L3 and (((remote adj procedure adj call\$1) or RPC\$1) same client\$1 same server\$1).ab.	186	<u>L4</u>
<u>L3</u>	((remote adj procedure adj call\$1) or RPC\$1) same client\$1 same server\$1	1314	<u>L3</u>
	<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ</i>		
<u>L2</u>	(analy\$ or examin\$ or check\$) same (source adj code) same client\$1 same(remote adj procedure)	1	<u>L2</u>
<u>L1</u>	(analy\$ or examin\$ or check\$) near10 (source adj code) near10 client\$1 near10 (remote adj procedure)	0	<u>L1</u>